



LATHO
COMPONENTS

NEW SURFACES



Esempio di applicazione
pannelli **MOVE Type E/F/S** su
boiserie, porta e ante cucina

*Example of application
MOVE panels Type E/F/S
on boiserie, living and
kitchen doors*






PANNELLI STAMPATI MOVE

Gli stampati Move possono essere impiallacciati in qualsiasi essenza, nobilitati con carta o poliestere in colori vari.

Adatti sia per la produzione di antine e pannelli che per porte edilizia, questi pannelli sono prodotti per soddisfare ogni specifica richiesta dei nostri clienti.

Move is a panel produced by applying either natural wood, reconstituted veneer or laminate, mostly to MDF substrates.

Suitable for any use in the furniture industry: kitchen and wardrobe doors, wall paneling, shop and bar fitting, these panels are tailored specifically to meet the customer's requirements.



PANNELLI MOVE



The mark of
responsible forestry

MOVE TYPE A

MOVE TYPE A+A

MOVE TYPE B

MOVE TYPE B+B

MOVE TYPE C

MOVE TYPE E

MOVE TYPE F

MOVE TYPE H

MOVE TYPE P

MOVE TYPE Q

MOVE TYPE R

MOVE TYPE S

MOVE TYPE Z

MOVE DATI TECNICI

Pannello realizzato con supporto accoppiato a tranciato o a laminato.

Supporto: preferibilmente MDF, ma anche altri come truciolare o multistrato, nelle versioni standard, idrorepellente o ignifugo.

Spessori: da 1,2 mm a 50 mm, ma anche oltre se richiesti.

Dimensioni massime: 2570x1300 mm, con un formato ottimale di 2440x1220 mm.

Con l'utilizzo di particolari tecnologie le superfici vengono impresse ottenendo vari tipi di texture identificate con delle lettere alfabetiche.

I supporti utilizzati sono prodotti certificati in classe E1 dal CATAS (bassa emissione di formaldeide) come previsto dalle normative europee.

Il tranciato utilizzato come rivestimento ha uno spessore variabile da 0,6 mm a 2 mm, in legno naturale o precomposto, su essenze e colori a specifica richiesta del cliente.

Il laminato utilizzato come rivestimento ha uno spessore di 0,2

mm circa e può essere in versione fondo bianco da laccare, in finitura a tinta unita o versione simillegno.

I pannelli possono essere forniti grezzi, squadrati, bordati, levigati e verniciati.

Le colle utilizzate per l'assemblaggio sono esclusivamente certificate secondo le normative vigenti in materia e provviste di regolari schede di sicurezza.

Il prodotto viene realizzato esclusivamente su richiesta specifica del cliente con la possibilità di scelta del tipo di texture, del supporto, del rivestimento e del tipo di finitura.

MOVE TECHNICAL DATA

Wood panel made of a core material faced with either wood veneer or laminate.

Substrates: *mainly MDF, but upon request other cores can be used, such as chipboard or plywood, standard, water resistant or fireproof.*

Available thickness: *from 1.2 mm to 50 mm, or even thicker if needed.*

Maximum dimension: *2570x1300 mm, with an ideal format of 2440x1220 mm.*

By using specific technologies, the surface is pressed producing different kind of textures, identified by alphabetic letters.

Cores are all E1 (low formaldehyde content) certified by CATAS, as per European standards.

Wood veneers used may have thickness from 0.6 mm to 2 mm, both natural and reconstituted, according to customer's request.

Laminate is 0.2 mm thick, both in ready-to-paint version, unicolor or wood grain.

Panels can be supplied raw, squared to size, edged, sanded or fully lacquered. Glues used are all certified according to European standards.

Product is made exclusively according to customer's request, with option to choose the kind of texture, core, face and finishing.

ALTRI PRODOTTI LATHO COMPONENTS

Tamburati e alleggeriti
per mensole, tavoli, top mobili fino a spessori di 100 mm.

Hollow-core and light weight panels for shelving, tables, worktops, etc. Thickness up to mm 100.

Boiserie
Per rivestimento pareti, impiallacciate in legno o pelle su forme e disegni personalizzati.

Boiserie For wall panelling. Veneered with real wood or natural leather on customized shapes and drawings.



LATHO
COMPONENTS

100% Made in Italy

cieffe legnami srl

Via Toscana, 3
Zona ind. Fosci
53036 Poggibonsi (SI) - Italy

Tel. +39 0577 985924
Fax. +39 0577 985860
cieffe@cieffelegno.it

cieffelegno.it



The mark of
responsible forestry